




## QTH94-C



### Product Features

- ▲ 4 CH TVI / CVI / AHD video input
- ▲ 4 CH 1080P lite / 720P / WD1 recording
- ▲ 4 CH DVRs support 1 / 1 CH IPC 1080P / 960P / 720P recording
- ▲ Adopt standard H.264 high profile compression format to get high-quality video at much lower bit rate
- ▲ Intuitive and user-friendly Graphics User Interface ( GUI ), window style operation by mouse
- ▲ Multi-mode recording: manual / timer / motion
- ▲ Playback : 4 CH simultaneously playback
- ▲ Search: time slice, time, event ( manual, motion ), tag search
- ▲ Express and flexible backup via USB, network and so on
- ▲ Pentaplex: preview, record, playback, backup and remote access
- ▲ DHCP, DDNS, PPPoE network protocol, IE browse and CMS supported
- ▲ Remote control via IE or CMS : preview, playback, backup, PTZ and configuration
- ▲ Dual stream technology for local storage with high definition, remote network transmission and remote surveillance with mobile device
- ▲ Multi-user online simultaneously
- ▲ Authorization management, log review and device status review
- ▲ HDMI 1080P output, true high resolution display
- ▲ Support PTZ preset and auto cruise, up to 255 presets and 8 cruises
- ▲ Support NAT function and QRCode scanning by mobile phone and PAD
- ▲ Powerful smart phone & Pad surveillance with iOS and Andriod OS

### SPECIFICATION

System	
Compression	Standard H.264 High Profile
OS	Embedded Linux
CPU	Cortex A9
Video	
Input	BNC × 4
IP Input / Access Bandwidth	IPC × 1 / 6Mbps
Output	HDMI × 1 : 1920 × 1080, VGA × 1 : 1920 × 1080
Resolution	TVI / CVI / AHD 1080P lite, 720P, WD1 real time
Audio	
Input	RCA × 1
Output	RCA × 1
Two-way audio	Take up channel one audio input

## Record

Resolution	1080P lite, 720P, WD1
Frame Rate	25 fps (PAL) / 30 fps (NTSC)
Bit Rate	768Kbps ~ 4Mbps
Mode	Manual, timer, motion

## Network

Interface	RJ45 10M / 100Mbps × 1
Protocol	TCP / IP, PPPoE, DHCP, DNS, DDNS, UPnP, NTP, SMTP
Web Client	Multiple users online

## Port

USB	USB 2.0 × 2 ( in the rear panel )
RS 485	No
Remote Controller	Optional

## IP Input

Resolution	1080P / 960P / 720P
Frame Rate	25fps ( PAL ) 30fps ( NTSC )

## Mobile Device

OS	iOS, Andriod
----	--------------

## Playback

Playback	4 CH
Search	Time slice / time / event / tag search
Smart Search	Highlighted color to display the camera record in a certain period of time,different colors refers to different record events
Function	Play, pause, FF, FB, digital zoom, etc.

## Alarm

Mode	Manual, motion, exception
Input	No
Output	No
Triggering	Record, snap, preset, e-mail, etc.

## Storage

HDD	SATA × 1, max 8T
-----	------------------

## Backup

Local Backup	U disk, USB mobile HDD
Network Backup	Yes

# Others

Power Supply	DC 12V
Consumption	≤ 5W ( without HDD )
Dimensions (mm)	255 × 223 × 42( W × D × H )
Work Environment	-10 ~ 50 °C , 10% ~ 90% humidity

## Dimensions

